

Love Berroco patterns? Sign up for our **KnitBits®** newsletter.

skill level: Intermediate
Shown in size Small

sizes

Directions are for women's size X-Small. Changes for sizes Small, Medium, Large, 1X and 2X are in parentheses.

To Fit Bust Size: 30(34-38-42-46-50-54)"

finished measurements

Bust (closed) – 36(40-44-48-52-56-60)"

Length – 24(24½-25-25½-26-26½)"

Note: This garment was designed with approximately 6" of ease. Please take this into consideration when selecting your size.

materials

6(6-7-8-8-9-10) Hanks **BERROCO MODERN COTTON** (100 grs), #1621

Warbler

Straight knitting needles, sizes 5 (3.75 mm) and 7 (4.50 mm) OR SIZE TO

OBTAIN GAUGE

Cable needle (cn)

St markers

Seven 1" buttons

gauge

20 sts and 26 rows = 4" in St st on larger needles

11 sts = 1¾" in Cable Pat on larger needles

18 sts and 26 rows = 4" in Rib Pat on larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

Berroco Modern Cotton™



Free Pattern



Find this yarn at your LYS

Our supercharged store locator goes above and beyond the ordinary. Innovatively linked to our inventory system, search for a yarn in your area and you'll pinpoint LYS's that have a proven history of ordering that product. A handy listing of all of the Berroco yarns the store carries and easy access to driving directions are also right at your finger tips. [Find all yarns now.](#)

Don't forget to connect with us on social media!



NOTE: We recommend using yarns called for in our instructions. Every effort has been made to ensure that directions contained in this book are accurate and complete, however errors do occur. We cannot be responsible for variance of individual knitters, human or typographical errors.

All pattern PDFs are updated when corrections are made. In the event of finding an error, please make sure you've downloaded the most recent version.

NOTE

There will be 3 cables across back of sizes XS, S, M and L and 5 cables across back of sizes 1X, 2X and 3X. There will be 1½ cables on each front of sizes X-S, S, M and L and 2½ cables on each front of sizes 1X, 2X and 3X.

STITCH GLOSSARY

CB4 Sl 2 sts to cn and hold in BACK, k2, k2 from cn

CF4 Sl 2 sts to cn and hold in FRONT, k2, k2, from cn

CABLE PATTERN (Worked over 11 sts)

Row 1 (RS): P1, CB4, k1, CF4, p1.

Row 2: K1, p9, k1.

Row 3: P1, k9, p1.

Row 4: Rep Row 2.

Rep these 4 rows for Cable Pat.

RIB PATTERN (Multiple of 4 sts + 2)

Row 1 (RS): K2, * p2, k2, rep from * across.

Row 2: Purl.

Rep these 2 rows for Rib Pat.

BACK

With smaller needles, cast on 95(103-111-119-133-145-153) sts.

Ribbing: Row 1 (RS): K1, * p1, k1, rep from * across.

Row 2: P1, * k1, p1, rep from * across. Rep these 2 rows until piece measures 2" from beg, end on WS. Change to larger needles.

Establish Pat Sts: Row 1 (RS): K3, place marker, work Row 1 of Rib Pat over 0(0-0-0-0-6-10) sts, place marker, work Row 1 of Cable Pat over 0(0-0-



0-11-11-11) sts, place marker, work Row 1 of Rib Pat over 10(14-18-22-18-18-18) sts, [work Row 1 of Cable Pat over 11 sts, place marker, work Row 1 of Rib Pat over 18 sts, place marker] twice, work Row 1 of Cable Pat over 11 sts, place marker, work Row 1 of Rib Pat over 10(14-18-22-18-18-18) sts, place marker, work Row 1 of Cable Pat over 0(0-0-0-11-11-11) sts, place marker, work Row 1 of Rib Pat over 0(0-0-0-0-6-10) sts, place marker, k3.

Row 2: P to first marker, work in pats as established to last marker, p to end. Work even in pats as established until piece measures 5" from beg, end on WS. Dec 1 st each side on next row, then every 2½" twice more – 89(97-105-113-127-139-147) sts. Work even until piece measures 12" from beg, end on WS. Inc 1 st each side on next row, then every 1½" twice more, working incs in St st – 95(103-111-119-133-145-153) sts. Work even until piece measures 16" from beg, end on WS.

Shape Armholes: Bind off 5(5-6-7-8-9-10) sts at beg of the next 2 rows – 85(93-99-105-117-127-133) sts. Dec 1 st each side EVERY row 0(0-0-0-2-4-4) times, then every RS row 8(9-10-11-13-14-14) times –

69(75-79-83-87-91-97) sts. Work even until armholes measure $7\frac{1}{2}$ (8-8½-8½-9-9½-10)" end on WS.

Shape Shoulders: Bind off 5(6-6-7-8-8-9) sts at beg of the next 4 rows, then 4(5-7-7-7-9-10) sts at beg of the next 2 rows. Bind off remaining 41 sts for back neck.

LEFT FRONT

With smaller needles, cast on 49(53-57-61-67-73-77) sts. Work in ribbing as for back for 2", end on WS, dec 1(1-1-1-0-0-0) st at end of last row – 48(52-56-60-67-73-77) sts. Change to larger needles.

Establish Pat Sts: Row 1 (RS): K3, place marker, work Row 1 of Rib Pat over 0(0-0-0-0-6-10) sts, place marker, work Row 1 of Cable Pat over 0(0-0-0-11-11-11) sts, place marker, work Row 1 of Rib Pat over 10(14-18-22-18-18-18) sts, place marker, work Row 1 of Cable Pat over 11 sts, place marker, work Row 1 of Rib Pat over 18 sts, place marker, p1, CB4, k1 (this is one half of Cable Pat plus center st).

Row 2: P5, k1, work in pats as established to last 3 sts, end p3. Work even in pats as established until piece measures 5" from beg, end on WS. Dec 1 st at beg of the next row, then at same edge every $2\frac{1}{2}$ " twice more – 45(49-53-57-64-70-74) sts. Work even until piece measures 12" from beg, end on WS. Inc 1 st at beg of the next row, then at same edge every $1\frac{1}{2}$ " twice more, working incs in St st – 48(52-56-60-67-73-77) sts. Work even until piece measures 16" from beg, end on WS.

Shape Armhole: Bind off 5(5-6-7-8-9-10) sts at beg of the next row – 43(47-50-53-59-64-67) sts. Work 1 row even. Dec 1 st at beg of row, and at armhole edge EVERY row 0(0-0-0-1-3-3) times more, then at beg of every RS row 7(8-9-10-13-14-14) times more – 35(38-40-42-44-46-49) sts. Work even until armhole measures $5(5\frac{1}{2}-6-6-6\frac{1}{2}-7-7\frac{1}{2})$ ", end on RS.

Shape Neck: Next Row (RS): Bind off 10 sts, work to end – 25(28-30-32-34-36-39) sts. Bind off 7 sts at neck edge once, (slipping first st to minimize jagged edge), then dec 1 st at neck edge every RS row 4 times – 14(17-19-21-23-25-28) sts. When armhole measures $7\frac{1}{2}$ (8-8½-8½-9-9½-10)" end on WS. Bind off 5(6-6-7-8-8-9) sts at armhole edge twice, then 4(5-7-7-7-9-10) sts once for shoulder.

RIGHT FRONT

With smaller needles, cast on 49(53-57-61-67-73-77) sts. Work in ribbing as for back for 2", end on WS, dec 1(1-1-1-0-0-0) st at end of last row – 48(52-56-60-67-73-77) sts. Change to larger needles.

Establish Pat Sts: Row 1 (RS): K1, CF4, p1 (this is one half Cable Pat plus center st), place marker, work Row 1 of Rib Pat over 18 sts, place marker, work Row 1 of Cable Pat over 11 sts, place marker, work Row 1 of Rib Pat over 10(14-18-22-18-18-18) sts, place marker, work Row 1 of Cable Pat over 0(0-0-0-11-11-11) sts, place marker, work Row 1 of Rib Pat over 0(0-0-0-0-6-10) sts, place marker, k3.

Row 2: P3, work in pats as established to last marker, p5, k1. Work even in pats as established until piece measures 5" from beg, end on WS. Dec 1 st at end of next row, then at same edge every $2\frac{1}{2}$ " twice more – 45(49-53-57-64-70-74) sts. Work even until piece measures 12" from beg, end on WS. Inc 1 st at end of next row, then at same edge every $1\frac{1}{2}$ " twice more, working incs in St st – 48(52-56-60-67-73-77) sts. Work even until piece measures 16" from beg, end on RS.

Shape Armhole: Bind off 5(5-6-7-8-9-10) sts, work to end – 43(47-50-53-59-64-67) sts. Dec 1 st at end of next row, and at armhole edge EVERY row 0(0-0-0-1-3-3) times more, then at end of every RS row 7(8-9-10-13-14-14) times more – 35(38-40-42-44-46-49) sts. Work even until armhole measures $5(5\frac{1}{2}-6-6-6\frac{1}{2}-7-7\frac{1}{2})$ ", end on WS.

Shape Neck: Next Row (RS): Bind off 10 sts, work to end – 25(28-30-32-34-36-39) sts. Bind off 7 sts at neck edge once, then dec 1 st at neck edge every RS row 4 times – 14(17-19-21-23-25-28) sts. When armhole measures $7\frac{1}{2}$ (8-8½-8½-9-9½-10)" end on RS. Bind off 5(6-6-7-8-8-9) sts at armhole edge twice, then 4(5-7-7-7-9-10) sts once for shoulder.

SLEEVES

With smaller needles, cast on 51(51-51-51-55-55-55) sts. Work in ribbing as for back for 3", end on WS. Change to larger needles.

Establish Pat Sts: Row 1 (RS): K10(10-10-10-12-12-12), place marker, work Row 1 of Rib Pat over 10 sts, place marker, work Row 1 of Cable Pat over 11 sts, place marker, work Row 1 of Rib Pat over 10 sts,

place marker, k to end.

Row 2: P to first marker, work Row 2 of Rib Pat to next marker, work Row 2 of Cable Pat to next marker, work Row 2 of Rib Pat to last marker, p to end. Work even in pats as established until sleeve measures 4" from beg, end on WS.

Inc Row (RS): K2, M1L, work to last 2 sts, M1R, k2 – 2 sts inc'd. Rep this inc every $2\frac{1}{2}(1\frac{3}{4}-1\frac{1}{4}-1-1-\frac{3}{4}-\frac{3}{4})"$ 5(7-10-13-13-16-18) times more – 63(67-73-79-83-89-93) sts. Work even until sleeve measures 18" from beg, end on WS.

Shape Cap: Bind off 5(5-6-7-8-9-10) sts at beg of the next 2 rows – 53(57-61-65-67-71-73) sts.

Dec Row (RS): K2, k2tog, work to last 4 sts, SSK, k2 – 2 sts dec'd. Rep this dec every RS row 15(15-17-17-17-19-19) times more, end on WS – 21(25-25-29-31-31-33) sts. Bind off 6(6-6-8-6-6-4) sts at beg of the next 2 rows. Bind off remaining 9(13-13-13-19-19-25) sts.

FINISHING

Sew shoulder seams. Sew in sleeves. Sew side and sleeve seams.


Left Frontband: With RS facing, using smaller needles, beg at neck edge, pick up and k107(109-111-111-113-115-117) sts along left front edge. Beg with Row 2, work in ribbing as for back for 1", end on WS. Bind off in ribbing.

Right Frontband: With RS facing, using smaller needles, beg at lower edge, pick up and k107(109-111-111-113-115-117) sts along right front edge. Beg with Row 2, work even in ribbing as for back for 1 row, end on WS.

Buttonhole Row (RS): Work 5(7-5-5-7-7-5) sts, yo, k2tog, * work 15(15-16-16-16-16-17) sts, yo, k2tog, rep from * 4 times more, work to end. Complete same as right frontband.

Neckband: With RS facing, using smaller needles, beg at outer edge of right frontband, pick up and k6 sts across top of frontband, 23 sts along right front neck edge, 41 sts across back neck edge, 23 sts along left front neck edge, then 6 sts across top of left frontband – 99 sts. Beg with Row 2, work in ribbing as for back for 1 row, end on WS.

Buttonhole Row (RS): Work 3 sts, yo, k2tog, work to end. Complete same as left frontband. Sew on buttons.



ABBREVIATIONS & TERMS

Knit

beg: beginning
CC: contrasting color
CDD (centered double decrease): Slip 2 together, knit 1, pass the 2 slipped stitches over.
cn: cable needle
cont: continue
dec: decrease
dpn: double pointed needles
est: established
inc: increase
K: knit
k tbl: knit through the back loop(s)
k2tog: Knit 2 stitches together
k3tog: Knit 3 stitches together
LH: left hand
MC: main color
M1: Pick up horizontal strand between stitch just worked and next stitch from front to back, place on left hand needle, knit this stitch through the back (1 stitch increased).
M1L: Work as for M1.
M1p: Pick up horizontal strand between stitch just worked and next stitch from front to back, place on left hand needle, purl this stitch through the back (1 stitch increased).
M1pL: Work as for M1p.
M1pR: Pick up horizontal strand between stitch just worked and next stitch from back to front, place on left hand needle, purl this stitch through the front (1 stitch increased).
M1R: Pick up horizontal strand between stitch just worked and next stitch from back to front, place on left hand needle, knit this stitch through the front (1 stitch increased).
p: purl
p tbl: purl through the back loop(s)
pat(s): pattern(s)
pm: place marker
pssso: pass slip stitch over knit stitch
p2tog: purl 2 stitches together
p2sso: pass 2 slip stitches over knit stitch
p3tog: purl 3 stitches together
rem: remaining
rep: repeat
RH: right hand
rnd(s): round(s)
RS: right side
sl: slip
sm: slip marker

SSK: Slip 2 stitches knitwise, insert point of left hand needle through fronts of these 2 stitches and knit 2 together.

SSP: Slip 2 stitches knitwise, transfer these 2 stitches back to left hand needle, purl 2 together through the back loops.

st(s): stitch(es)

TBL: through back loop(s)

tog: together

WS: wrong side

wyib: with yarn in back

wyif: with yarn in front

yo: yarn over

end on WS: end having just completed a Wrong Side row.

end on RS: end having just completed a Right Side row

STOCKINETTE ST (St st): Knit 1 row, purl 1 row alternately when working on straight needles. The knit side is the right side of work. Knit EVERY round when working in the round on a circular needle.

Reverse St st (Rev St st): Purl 1 row, knit 1 row alternately when working on straight needles. The purl side is the right side of the work. Purl EVERY round when working in the round on a circular needle.

GARTER ST: Knit EVERY row when working on straight needles. Knit 1 round, purl 1 round when working on a circular needle.

Crochet

ch: chain

dc: double crochet

hdc: half double crochet

sc: single crochet

sl st: slip stitch

sp: space

tr: treble